

Microwave and Optical Technology Letters

Author Index to Volume 6

- Aanandan, C. K.** See Mathew, T., 615
- Adve, R. S.**
—; Sarkar, T. K.: Generation of Accurate Broadband Information from Narrowband Data Using the Cauchy Method, 569
- Agarwal, A.**
High-Power, Low-Loss, Broadband, SPDT Switch for VHF Applications, 652
- Agarwal, K. K.** See Bhandari, A., 520
- Aghvami, A. H.** See Bayar, E., 837
- Aguilera, J.** See Marqués, R., 391
- Aidnik, D. L.** See Fenzi, N. O., 744
- Aiyer, R. C.** See Yousefi, M. H., 594
- Aksun, M. I.** See Ko, W. L., 552
- Alaeddine, A.**
—; Reineix, A.; Jecko, B.: Radiation Characteristics of a Microstrip Traveling-Wave Antenna—Power Balance, 694
- Alam, M. S.**
—; Iftekharuddin, K. M.; Karim, M. A.: Polarization-Encoded Optical Shadow Casting: Edge Detection Using Roberts Operator, 190
- Alam, Md. S.**
—; Hirayama, K.; Hayashi, Y.; Koshiba, M.: A Vector Finite-Element Analysis of Complex Modes in Shielded Microstrip Lines, 873
- Alterovitz, S. A.** See Rosenfeld, D., 689
- Andres, P.** See Gregory, D. A., 211
- Apte, P. R.** See Easwar, K., 281
- Arora, K.**
—; Sheybani, E. O.: Measurement of the Temporal Coherence of an Underwater Optical Scattered Field, 151
- Arsenault, D. R.** See Lyons, W. G., 728
- Arts, M. J.**
—; Smolders, A. B.: Study of Stacked Microstrip Phased Arrays, 466
- Babić, D. I.** See Shimizu, M., 455
- Baggen, L. C. J.**
—; Jeronimus, C. J. J.; Herben, M. H. A. J.: The Scan Performance of the Fresnel-Zone Plate Antenna: A Comparison with the Parabolic Reflector Antenna, 769
- Baillargeat, D.**
—; Verdeyme, S.; Guillon, P.: New Dual Mode Coupling Using Slotted Dielectric Resonator, 84
- Bangert, A.**
—; Rosenzweig, J.; Hülsmann, A.; Kaufel, G.; Köhler, K.; Schneider, J.: Optical Control of Pseudomorphic HEMT-Based MMIC Oscillators, 36
- Bankov, E.**
—; Bugrova, I.: Analysis of a Millimeter-Wave Integrated Beam-Forming Network for Quasioptical Multibeam Antennas, 782
- Barbosa, A. M.** See Paiva, C. R., 182
- Bartolucci, G.**
—; Giannini, F.; Limiti, E.: Wideband Equivalent Circuit Model of Nonsymmetrical Microstrip Double Step Discontinuities, 850
- Barton, S. K.** See Guo, Y. J., 840
- Bayar, E.**
—; Robertson, I. D.; Aghvami, A. H.: Monolithic Ka-Band Coplanar Waveguide Amplifier Design in MMIC, 837
- Beker, B.** See Chen, Y., 486
- Berceli, T.**
Lightwave Technology Applied to Microwaves in Eastern Europe, 42
- Betancor, M. J.** See Gabiola, F. J., 557
- Betti, S.**
—; Curti, F.; De Marchis, G.; Iannone, E.: Stokes-Parameter Detection Experimental Results for Polarization Modulation Coherent Systems with Low Bit-Rate-to-Linewidth Ratio, 525
- Betti-Berutto, A.** See D'Agostino, S., 643
- Bhandari, A.**
—; Butler, D. P.; Agarwal, K. K.: Performance of MMIC Components at Cryogenic Temperatures, 520
- Bhasin, K. B.**
Foreword: Special Issue on Superconductive Microwave Devices and Circuits, 725
- Bhasin, K. B.** See Tabib-Azar, M., 18
- See Miranda, F. A., 752
- Bhattacharjee, A. K.** See Dan, S., 717
- Bhattacharjee, P. S.**
Mutual Impedance between Circular Microstrip Antenna, 322
- Bhattacharya, A.** See Dan, S., 717
- Bhattacharya, P. K.** See Karaküçük, M., 609
- Bialkowski, M. E.** See Jellett, S. T., 240
- See Noon, D. A., 287
- Billonnet, L.**
—; Jarry, B.; Guillon, P.: New Design Techniques for High-Order Narrow-Band Microwave Filters Derived from Low-Frequency Recursive Concepts, 809
- Boisvert, R. R.** See Lyons, W. G., 728
- Boix, R. R.** See Martel, J., 277
- Boonzaaij, J. J.**
—; Pistorius, C. W. I.: Scattering by Thin Lossy Dielectric Plates—A Finite-Difference Time-Domain Approach, 326
- Boos, J. B.** See Kruppa, W., 81
- Bor, S.**
—; Liu, J.; Lu, P.: Plots with Matching Circles for Optimizing the Performance of a Low-Noise Amplifier, 141
- Bosisio, R. G.** See Ghannouchi, F. M., 573
- Botha, E.**
—; McNamara, D. A.: On the Direct Synthesis of High-Directivity Tapered-Side-Lobe Planar Arrays with Circular Boundaries, 623
- Bourne, L. C.** See Fenzi, N. O., 744

- Bowers, J. E.** See Helkey, R. J., 1
See Shimizu, M., 455
- Brewster, B. D.**
—; Robertson, I. D.; Gemikonakli, O.: Design and Realization of a Reduced-Size Microstrip 3dB Rat-Race Hybrid Coupler, 789
- Bugrova, T. I.** See Bankov, S. E., 782
- Burch, J. F.** See Jackson, C. M., 748
- Butler, D. P.** See Bhandari, A., 520
- Cai, M.**
—; Kooi, P. S.; Leong, M. S.; Yeo, T. S.: Symmetrical Coplanar Waveguide with Finite Ground Plane, 218
—; Kooi, P. S.; Leong, M. S.: A Compact Slot Loop Antenna, 292
—; Kooi, P. S.; Leong, M. S.: A Novel Type of Compact Coplanar Waveguide Antenna, 349
- Camarda, P.**
—; D'Orazio, A.; Nuovo, M. M.; Matera, F.; Settembre, M.: Proposal of All-Optical Shuffle Multihop Networks with Dedicated and Shared Channels, 889
- Caorsi, S.**
—; Ciaramella, S.; Gragnani, G. L.; Pastorino, M.: A Technique to Improve the Accuracy of Numerical Inverse-Scattering Solutions for Dielectrics, 208
- Capmany, J.** See Marti, J., 401
- Cardona, A. H.** See Fenzi, N. O., 744
- Carpentier, J. F.**
—; Pribetich, P.; Kennis, P.: Quasistatic Analysis of a Pair of Skewed Transmission Lines in Multilayered Dielectric Media for MMIC Applications, 319
- Carter III, C. F.** See Shen, Z.-Y., 732
- Caulfield, H. J.**
Analog Precorrection for Improved-Accuracy Optical Matrix Operations, 188
- Chaloupka, H.**
Superconducting Multiport Antenna Arrays, 737
- Chan, C.** See Chen, Z., 611
- Chan, C. H.** See Tsang, L., 148
- Chandran, S.**
—; Vardaxoglou, J. C.: Performance of Two Single-Layer Frequency-Selective Surfaces as Spatial Filters, 339
- Chang, C.** See Bor, S., 141
- Chang, D. C.** See Hoorfar, A., 762
- Chang, K.** See Kanamalur, S., 715
See Wu, X., 856
- Chang, W.**
—; Liu, S.; Wang, W.: Evolution of Nonlinear Guided Waves Along a Bent Planar Waveguide, 194
—; Liu, S.; Wang, W.: The Propagation Characteristics of Nonlinear Guided Waves Along a Nonlinear Waveguide Bounded by Two Identical Self-Focusing Media, 351
- Chatterjee, A.**
—; Volakis, J. L.: Conformal Absorbing Boundary Conditions for the Vector Wave Equation, 886
- Chauhan, B.** See Dan, S., 717
- Chen, C.** See Lin, S., 106
See Zhang, S., 792
- Chen, H.**
—; Wong, K.: Cross-Polarization Characteristics of a Probe-Fed Spherical-Circular Microstrip Patch Antenna, 705
See Wong, K., 852
- Chen, J.**
—; Lo, T.; Litva, J.: Scattering of Electromagnetic Waves from a Time-Varying Fractal Surface, 87
- Chen, R. S.**
Millimeter-Wave FET Frequency Divider, 166
—; Li, X. G.; Sun, M. S.: Millimeter-Wave Wideband Frequency Divider, 617
- Chen, W.**
—; Lee, K.: Spectral-Domain Moment-Method Analysis of Coplanar Microstrip Parasitic Subarrays, 157
—; Lee, K.: Input Impedance of Coaxially Fed Rectangular Microstrip Antenna on Electrically Thick Substrate, 387
- Chen, Y.**
—; Beker, B.: An Efficient Analysis of Anisotropic Multiconductor-Multilayered MICs Using the Spectral-Domain-Block-Transfer-Matrix Method, 486
- Chen, Z.**
—; Tsang, L.; Kuga, Y.; Chan, C.: Active Polarimetric Microwave Remote Sensing of Corn and Multiparametric Retrieval of Corn Parameters with an Artificial Neural Network, 611
- Cheng, D.**
—; Zhao, Y.; Lin, W.: Scattering Response of an Electrically Small Bianisotropic Spheroid in the Presence of a Conducting Plane, 575
- Cheung, C.**
—; Yam, Y.: Performance Study of the Reactively Loaded Power Amplifier by Transmission Line Modeling (TLM) with Exponential Switching Resistance (ESR), 138
- Chew, W. C.**
—; Lu, C.: Nepal—An Algorithm for Solving the Volume Integral Equation, 185
See Liu, Q., 101
See Weedon, W. H., 587
See Lu, C., 774
- Chiao, J.** See Guo, Y., 457
- Chorey, C.** See Tabib-Azar, M., 18
- Chou, C. C.**
—; Gregory, D. A.: Three-Dimensional Nanometer Structures, 314
- Christodoulou, C. G.**
Electromagnetic Scattering from Skew-Symmetric Metallic Grids, 777
—; Schmidt, J. C.: Some Focusing Properties of Chirped Gratings at Microwave Frequencies, 507
See Murphy, R. A., 76
- Chung, P. S.** See Loi, K. K., 378
- Ciaramella, S.** See Caorsi, S., 208
- Cicchetti, R.**
On the Time-Domain Response of Microstrip Dipoles Embedded in a Low-Loss Grounded Dielectric Slab, 238
—; Prione, C.: On the Radiation Sensibility of a Microstrip Transmission Line, 820

- Civera, R.** See Vizoso, B., 766
- Clayton, F. M.** See Cryan, R. A., 394
- See Elmirghani, J. M. H., 527, 800
- Claspy, P. C.** See Tabib-Azar, M., 18
- Conn, D.** See Song, J., 493
- Cory, H.**
- Wave Propagation Along a Closed Rectangular Chirowaveguide, 797
- ; Gov, S.: Mode Energy Transfer Along a Circular Open Chirowaveguide, 536
- Costamagna, E.**
- ; Fanni, A.: Conductor-Backed and Upper-Shielded Coplanar Waveguide with Finite Ground Planes, 879
- Cruz, J. L.**
- ; Gimeno, B.; Navarro, E. A.; Such, V.: The Reflection Coefficient of a Flared Microstrip Line Radiating in an Infinite Parallel-Plate Waveguide, 127
- Cryan, R. A.**
- Optical-Fiber Digital PPM Systems Employing PIN-FET Receivers, 882
- ; Elmirghani, J. M. H.: Slot Synchronization in Optical-Fiber PPM Systems with Gaussian-Type Received Pulse Shapes, 394
- See Elmirghani, J. M. H., 527, 800
- Cuhaci, M.** See Ghannouchi, F. M., 573
- Cui, T. J.**
- ; Liang, C. H.: Matrix Perturbation Theory of the Eigenequation $[A][u] = \lambda[u]$ and Its Application in Electromagnetic Fields, 607
- Culbertson, J. C.** See Newman, H. S., 725
- Curti, F.** See Betti, S., 525
- Cusworth, S. D.** See Senior, J. M., 592
- Dagang, F.** See Rushan, C., 256
- D'Agostino, S.**
- ; Massenzio, M.: A Comparison of Nonlinear Behavior between Matrix and Distributed Amplifiers, 636
- ; D'Inzeo, G.; Marietti, P.; Betti-Berutto, A.: Design and Realization of a Low-Noise Front End for a RDSS Mobile Terminal, 643
- Dai, X.** See Ja, Y. H., 833, 896
- Dan, S.**
- ; Chauhan, B.; Maggo, G.; Bhattacharya, A.; Thakur, A.; Bhattacharjee, A. K.: Input Impedance of Rectangular Microstrip Antennas for Different Feed Sizes, 717
- Daryoush, A. S.**
- Guest Editorial to Special Section on Microwave Photonics, 1
- Decoster, D.** See Elkadi, H., 245
- De Marchis, G.** See Betti, S., 525
- Derickson, D. J.** See Helkey, R. J., 1
- Derneryd, A.** See Rengarajan, S. R., 504
- de Salles, A. A. A.**
- Microwave Photonics R&D in Brazil, 50
- Desclos, L.**
- A New Hybrid Method of Calibration for Polarimetric Radar Cross-Section Measurements, 131
- Complex Target Polarimetric Modelization and Measurement, 307
- ; Pouliguen, P.: Polarimetric Analysis of an Anechoic Chamber in a Time Domain, 135
- See Pouliguen, P., 214
- De Zutter, D.** See Olyslager, F., 578
- Dib, N. I.**
- ; Drayton, R. F.; Katehi, L. P. B.: A Theoretical and Experimental Study of Microshield Circuits, 333
- Dimitrios, A. P.** See Jellett, S. T., 240
- Ding, C.** See Shi, Z., 109
- D'Inzeo, G.** See D'Agostino, S., 643
- D'Orazio, A.** See Camarda, P., 889
- Dötsch, H.** See Shamonin, M., 790
- Dou, W. B.**
- ; Sun, Z. L.: A Dielectric Hybrid-Mode Horn as a Gaussian Beam-Mode Antenna in 3-mm Band, 475
- Drayton, R. F.** See Dib, N. I., 333
- Druskin, V. L.** See Weedon, W. H., 587
- Dudley, J. J.** See Shimizu, M., 455
- East, J. R.** See Karaküçük, M., 609
- Easwar, K.**
- ; Sarkar, B. K.: High-Q-Factor Low Dielectric Loss Inverted Microstrip YBa₂Cu₃O_{7- δ} Resonator for Accurate R_s Characterization, 281
- Echarri, R.**
- The Fresnel Prism as Polarization Interferometer, 403
- Elkadi, H.**
- ; Vilcot, J. P.; Decoster, D.: An Equivalent Circuit Model for Multielectrode Lasers: Potential Devices for Millimeter-Wave Applications, 245
- Elmirghani, J. M. H.**
- ; Cryan, R. A.; Clayton, F. M.: A Novel Frame Phase Extraction Technique for Optical-Fiber Digital PPM, 527
- ; Cryan, R. A.; Clayton, F. M.: Optical-Fiber Multiple PPM Frame Synchronization, 800
- See Cryan, R. A., 394
- El-Sheikh, A. N. A.** See Langley, R. J., 444
- Engheta, N.** See Pelet, P., 671
- Erdmann, A.** See Shamonin, M., 790
- Fan, Z.**
- ; Lee, K.: Analysis of Electromagnetically Coupled Patch Antennas, 436
- Fanni, A.** See Costamagna, E., 879
- Fares, D. A.**
- Threshold Detection of Nonorthogonal Signaling in Turbulent Optical Channels, 124
- Faria, J. A. Brandão**
- A Perturbation Approach to the Analysis of Index Ellipsoid Deformations in Biaxial and Uniaxial Media, 657
- Analysis of the Electro-Optic Effect in Anisotropic Crystals with 2-mm and 3-m Point Group Symmetry Using a First-

- Order Perturbation Technique, 815
- See Guerreiro das Neves, M. V., 426, 710
- Favreau, M.**
- ; Goutoule, J. M.; Orta, R.; Savi, P.; Tascone, R.: A Free-Space Double-Grid Diplexer for a Millimeter-Wave Radiometer, 121
- Feng, Z.**
- ; Junmei, F.: Efficient Analysis of a Dielectric Post in a Rectangular Waveguide Based on the Two-Dimensional FD-TD Method, 407
- Fenzi, N. O.**
- ; Aidnik, D. L.; Soares, E. R.; Bourne, L. C.; Cardona, A. H.; Rohlfing, S. M.: Using Engineered TBCCO Step Edge Junctions as Microwave Mixers, 744
- Fetterman, H. R.** See Kain, A. Z., 755
- Fraile-Peláez, F. J.**
- ; Gil-Vázquez, F.: Combined Effect of Harmonic Distortion and Pulse Dispersion in Optical Fiber Transmission, 205
- Franzen, D. L.** See Schlager, J. B., 835
- Freeman, P. N.** See Karaküçük, M., 609
- Frickey, D. A.**
- Errata to "Calculation of S Parameters from ABCD Parameters with Complex Normalizing Impedances," 154
- Fusco, V. F.** See McDowall, D. S., 275
- Gabiola, F. J.**
- ; Betancor, M. J.; Santamaria, A.; Polo, A.; López-Hernández, F. J.: Irradiance Analysis for Indoor Point-to-Point and Quasidiffuse Infrared Channels, 557
- Gallawa, R. L.**
- Complex Propagation Constants for Nonuniform Optical Waveguides: Calculations, 490
- Gallion, P.** See Jaouën, Y., 903
- Gao, H.**
- ; Wu, W.: The Analysis of the Hybrid Distributed Amplifier, 223
- Garai, J. M.** See Zapata, J., 905
- Garcia, J.** See Zapata, J., 905
- Ge, J.**
- A Study of High-Order Modes in a Quasi-Optical Cavity, 70
- Gemikonakli, O.** See Brewster, B. D., 789
- Gentili, G. G.**
- ; Macchiarella, G.: On the Choice of Basis Functions in Quasistatic Spectral-Domain Analysis of Strip-Line-Like Transmission Lines, 295
- ; Melloni, A.; Macchiarella, G.; Politi, M.: Analysis of Double-Step Discontinuity in a Rectangular Waveguide Using a TE^x - TM^y Field Expansion, 358
- Georgopoulos, V. C.**
- Overcoming Passive Coupling Excess Loss in Fiber-Optic Networks by Using a Collective Interface, 634
- Gérard, H.**
- ; Mouquet, Y.: New Three-Configuration FET Deembedding Method, 823
- Ghannouchi, F. M.**
- ; Maurin, D.: A Miniaturized Frequency-Compensated Six-Port Junction Using MHMIC Technology, 573
- See Hajji, R., 605
- Giakos, G. C.**
- ; Ishii, T. K.: Detection of Longitudinal Electromagnetic Fields in Air, 283
- Giannini, F.**
- ; Paoloni, C.; Orenco, G.: An Advanced GaAs Monolithic Transimpedance Amplifier for High-Speed Optical Communication Systems, 65
- See Bartolucci, G., 850
- Gillick, M.**
- ; Robertson, I. D.; Joshi, J. S.: Design Analysis and Fabrication of Lumped-Distributed Branch-Line Couplers for Coplanar Waveguide MMICs, 720
- Gil-Vázquez, F.** See Fraile-Peláez, F. J., 205
- Gimeno, B.**
- ; Marquina, J. L.; Navasquillo, J.; Pomer, F.: Electromagnetic Scattering by a Strip Grating with Nonplanar Illumination, 813
- See Cruz, J. L., 127
- Goel, A. K.**
- ; Prabhakaran, P. J.: The Effects of Crossing Interconnections on Signal Propagation on the GaAs-Based Integrated Circuits, 646
- Goutoule, J. M.** See Favreau, M., 121
- Gov, S.** See Cory, H., 536
- Gragnani, G. L.** See Caorsi, S., 208
- Greaves, S. D.**
- ; Unwin, R. T.: Accurate Noise Characterization of Short Gate Length GaAs MESFETS and HEMTs for Use in Low-Noise Optical Receivers, 60
- ; Unwin, R. T.: The Variation of Short-Gate-Length GaAs MESFET Intrinsic Noise Parameters with Bias, 892
- Gregory, D. A.**
- ; Kirsch, J. C.; Tanone, A.; Yin, S.; Andres, P.; Yu, F. T. S.; Tam, E. C.: Phase Modulation in a Liquid-Crystal TV Based Joint Transform Correlator, 211
- See Chou, C. C., 314
- Guglielmi, M.** See Baillargeat, D., 84
- Guillon, P.** See Baillargeat, D., 84
- See Billonnet, L., 809
- Güney, K.**
- Resonant Frequency of a Triangular Microstrip Antenna, 555
- Guo, Y.**
- ; Chiao, J.; Potter, K. A.; Rutledge, D. B.: Probe Impedance Measurements for Millimeter-Wave Integrated Horn Antennas, 457
- Guo, Y. J.**
- ; Barton, S. K.: On the Subzone Phase Correction of Fresnel Zone Plate Antennas, 840
- Gupta, K. C.** See Hoorfar, A., 762
- Habli, M. A.**
- ; Leonik, K.: Image Reconstruction for Computer Tomography with Missing Projections Using the Bimodal Optical Computer, 843
- Haddad, G. I.** See Karaküçük, M., 609

Hajji, R.

—; Ghannouchi, F. M.: On the Use of S-Parameter Measurements to Model HBT Intrinsic Elements for Large-Signal Analysis Purposes, 605

Hale, P. D. See Schlager, J. B., 835

Haliullin, D. Ya. See Tretyakov, S. A., 512

Hamel, J. S. See Khalil, R., 115

Hara, S. See Komaki, S., 55

Hayashi, Y. See Alam, Md. S., 873

He, A. See Zhang, J., 446
See Zhang, L., 481

Heflinger, L. O. See Jackson, C. M., 748

Helkey, D. J.

—; Derickson, D. J.; Mar, A.; Wasserbauer, J. G.; Bowers, J. E.: Millimeter-Wave Signal Generation Using Semiconductor Diode Lasers, 1

Herben, M. H. A. J. See Baggen, L. C. J., 769

Herczfeld, P. R. See Madjar, A., 22

Herczfeld, P. R. See Paoletta, A., 38

Hertel, P. See Shamonin, M., 790

Higgins, T. P.

Direct Optical Subharmonically Injection-Locked MESFET Oscillators, 33

Hirayama, K. See Alam, Md. S., 873

Ho, T. Q.

A Hybrid Orthogonal TEM-Fed Reflector Antenna, 95

Hoorfar, A.

—; Gupta, K. C.; Chang, D. C.: Effects of Cylindrical Curvature on Radiation from a Microstrip Antenna with a Thick Cover Layer, 762

Horno, M. See Martel, J., 277
See Marqués, R., 391

Hu, R. See Jackson, C. M., 748

Huang, Z.

—; Zeng, C.: Attenuation Properties of Normal Modes in Coated Circular Waveguides with Imperfectly Conducting Walls, 342

Hülsmann, A. See Bangert, A., 36

Hum, P. J.

—; Leong, M. S.; Kooi, P. S.; Yeo, T. S.: (FD)²-TD and

Experimental Comparison for a Cylindrical Cavity Loaded with Lossy Dielectric, 869

Hung, Hing-Loi A.

See Li, M. G., 27

Iannone, E. See Betti, S., 525

Ibrahim, A. M. See Ibrahim, M. M., 173

Ibrahim, M. M.

—; Ibrahim, A. M.: Effects of Nonideal Optical-Fiber Equalization, 173

Iftekharruddin, K. M. See Alam, M. S., 190

Ishii, T. K. See Giakos, G. C., 283

See Taalbi, M., 370, 415

Iyer, S. M. Vaitheeswaran

—; Joshi, A. W.; Karekar, R. N.: Optimization of Substrate Dielectric and Mode of Microstrip Ring Antenna for High Efficiency and Directivity, 541

—; Karekar, R. N.: The Effect of Dielectric Truncation on the Radiation of a Microstrip Ring Antenna Operated at Higher-Order Modes, 660

Ja, Y. H.

Errata to "Vernier Fiber Double-Ring Resonator Using Degenerate Two-Wave Mixing," 154

Kerr Bistability in Optical Fiber Loop Resonators with a 3×3 Fiber Coupler, 297

Butterworth-Like Filters Using a S-Shaped Two-Coupler Optical Fiber Ring Resonator, 376

—; Dai, X.: An S-Shaped Optical Fiber Loop Resonator Using a 3×3 Nonplanar Fiber Coupler, 833

—; Dai, X.: Single-Mode Four-Port Optical Fiber Loop Resonators Using a Nonplanar 3×3 Fiber Coupler, 896

Jackson, C. M.

—; Kobayashi, J. H.; Wire, M. S.; Heflinger, L. O.; Lee, A.; Pettiette-Hall, C.; Hu, R.; Burch, J. F.: Wide HTS Microbridge Series Array Transmission Line, 748
See Kain, A. Z., 755

Jaouën, Y.

—; Roudas, I.; Gallion, P.: Experimental Reduction of Phase-Noise Influence for an Optical CPFSK System with I.F. Filtering, 903

Jarry, B. See Billonnet, L., 809

Jecko, B. See Roy, J. S., 201, 670
See Vaudon, P., 252

See Alaeddine, A., 694

Jellett, S. T.

—; Bialkowski, M. E.; Dimitrios, A. P.: An Experimental Investigation into Microstrip Antenna Elements Suitable for Mobilesat Applications, 240

Jeronimus, C. J. J. See Baggen, L. C. J., 769

Jia, Y. See Shi, Z., 109

Jiang, W. B. See Shimizu, M., 455

Jin, R.

—; Qiu, Y.: A Spectral-Domain-Eigenfunction Method for Radiation by a Cavity-Backed Planar Structure, 697

Jose, K. A. See Mathew, T., 615

Joshi, A. W. See Vaitheeswaran Iyer, S. M., 541

Joshi, J. S. See Gillick, M., 720

Junmei, F. See Feng, Z., 407

Kain, A. Z.

—; Pond, J. M.; Fetterman, H. R.; Jackson, C. M.: Impact of Kinetic Inductance Effect on HIGH- T_c Superconducting Coplanar Waveguide Resonators, 755

Kanamaluru, S.

—; Li, M.; Chang, K.: Coplanar Waveguide Low-Pass Filter Using Open Circuit Stubs, 715

Kang, J. S.

—; Ra, J. W.: Near-Field Pattern Diffracted by a Spherical Cavity in a Denser Medium, 549

Karaküçük, M.

—; Li, W. Q.; Freeman, P. N.; East, J. R.; Haddad, G. I.; Bhattacharya, P. K.: A Direct Optically Injection-Locked 2.6-GHz HBT Oscillator, 609

Karekar, R. N. See Vaitheeswaran Iyer, S. M., 541, 660

See Yousefi, M. H., 594

Karim, M. A. See Alam, M. S., 190

Katehi, L. P. B. See Dib, N. I., 333

- Kaufel, G.** See Bangert, A., 36
- Kaye, M.**
- ; Pasala, K. M.; Reuster, D.: Reply of Authors of "On the Linear Independence of Testing Functions Used in the Method of Moments," 452
- Ke, S.**
- ; Wong, K.: Cross-Polarization Characteristics of Rectangular Microstrip Patch Antennas on a Cylindrical Surface, 911
- Keam, R. B.**
- ; Williamson, A. G.: Coaxially Driven Dielectrically Sheathed Post in a Rectangular Waveguide, 230
- Kelly, W. M.** See Lyons, B. N., 677
- Kennis, P.** See Carpentier, J. F., 319
- Khalil, R.**
- ; Roulston, D. J.; Parker, J. R.; Hamel, J. S.; McGregor, J. M.: Photodetector Modeling for Optical Receivers Integrated in a Silicon Process, 115
- Kim, B.** See Seo, Y., 98
- Kim, H.**
- ; Ling, H.: On the Application of Fast Wavelet Transform to the Integral-Equation Solution of Electromagnetic Scattering Problems, 168
- Kirsch, J. C.** See Gregory, D. A., 211
- Klimkowski, K.**
- ; Ling, H.: Performance Evaluation of Moment-Method Codes on an Intel iPSC/860 Hypercube Computer, 692
- Ko, W. L.**
- ; Aksun, M. I.; Mittra, R.: A Generalized Eigenvalue Method for FDTD Analyses, 552
- Kobayashi, J. H.** See Jackson, C. M., 748
- Köhler, K.** See Bangert, A., 36
- Koivisto, P.**
- Polarization Properties of Plane Waves in Transversely Bianisotropic Uniaxial Medium, 858
- Koivisto, P. K.** See Lindell, I. V., 478
- Komaki, S.**
- ; Tukamoto, K.; Hara, S.; Morinaga, N.: Proposal of Fiber and Radio Extension Link for Future Personal Communications, 55
- Konishi, Y.**
- Estimation of the Q Values of the Dielectric Material of the TE_{018} Dielectric Resonator Shielded by a Metal Case, 419
- Kooi, P. S.** See Cai, M., 218, 292, 349
- See Leong, M. S., 363, 461
 - See Yeo, T. S., 545
 - See Hum, P. J., 869
- Koshiba, M.** See Alam, Md. S., 873
- Kosslowsky, S.** See Paoloni, C., 261
- Kretly, L. C.** See Paixão, O. P., 564
- Kruppa, W.**
- ; Boos, J. B.: Circuit Model of Low-Frequency Transconductance and Output Resistance Dispersion in Ion-Implanted InP JFETs, 81
- Kuga, Y.** See Chen, Z., 611
- Kumazawa, I.** See Lin, S., 106
- Lai, K. Y. A.** See Tam, W. Y., 304
- See Leung, K. W., 626
- Lakhtakia, A.**
- A Unidirectionally Conducting Screen Is a Super-Brewster Screen, 663
 - ; Weiglhofer, W. S.: Axial Propagation in General Helicoidal Bianisotropic Media, 804
 - See Weiglhofer, W. S., 681
- Lakshminarayana, D.**
- ; Hara Prasad, R. V.; Murthy, T. G. K.: Broadband Slant Linearly Polarized Biconical Antenna, 471
 - See Hara Prasad, R. V., 665
- Lam, V. M. T.**
- ; Yip, P. C. L.: A Novel RF Reference Source Using Subharmonically Locked Synchronous Oscillation, 249
- Langley, R. J.**
- ; El-Sheikh, A. N. A.: Comparison of Multimode Network and Spectral Domain Analysis Applied to Metallic Strips, 444
- Laubacher, D. B.** See Shen, Z.-Y., 732
- Lee, A.** See Jackson, C. M., 748
- Lee, C. H.** See Li, M. G., 27
- See Liu, S. G., 32
- Lee, C. S.**
- ; Nalbandian, V.; Schwing, F.: Dual-Frequency Microstrip Antenna with Inhomogeneously Filled Dielectric Substrate, 629
- Lee, C. W.** See Seo, C., 432
- Lee, J.**
- ; Ra, J.: Full-Wave Calculation of the Radiation Impedance of Microstrip-Excited Magnetic Surface Waves, 441
- Lee, K.** See Chen, W., 157, 387
- See Fan, Z., 436
- Lee, R. Q.** See Chen, W., 157, 387
- See Simons, R. N., 225
 - See Zimmerman, M., 361
- Lee, S. W.** See Wu, T. K., 175
- Lee, Y. K.** See Yeo, T. S., 545
- Leong, M. S.**
- ; Kooi, P. S.; Yeo, T. S.; Ooi, B. L.: A Hybrid Gauss-Newton-Simulated Annealing Optimizer for Extraction of MESFET Equivalent Circuit Elements, 461
 - ; Kooi, P. S.; Yeo, T. S.: Application of Green's Theorem Approach to Symmetrical Right-Angled H-Plane Rectangular Metallic Waveguide Bend, 363
 - See Cai, M., 218, 292, 349
 - See Yeo, T. S., 545
 - See Hum, P. J., 869
- Leonik, K.** See Habli, M. A., 843
- Leung, H.** See Chen, J., 87
- Leung, K. W.**
- ; Luk, K. M.: On the TM_{101} Mode of a Hemispherical Dielectric Resonator Antenna, 626
- Li, G.**
- ; Liu, L.: Optical Pattern Logic Processing with One-Rule Symbolic Substitution, 498
- Li, M.** See Kanamaluru, S., 715
- Li, M. G.**
- ; Lee, C. H.: Intermixing Optical and Microwave Signals in GaAs Microstrip Circuits and Its Applications, 27
- Li, P.** See Yin, W., 179, 381
- Li, W. Q.** See Karaküçük, M., 609
- Li, X. G.** See Chen, R. S., 617
- Liang, C.** See Shi, X., 585

- Liang, C. H.**
—; Zhao, X. Y.: Conditions of Perfect Absorption for a Single-Layer Electromagnetic-Wave Absorber under Oblique Incidence, 163
See Cui, T. J., 607
- Liang, J. Y.**
Fabrication of Optical Fabry-Perot Interferometer in LiNbO₃ Waveguide, 532
—; Wilson, M. G. F.: Reflecting Mode Integrated Optical Temperature Sensor, 423
—; Wilson, M. G. F.: An Integrated Optical Fabry-Perot Modulator in LiNbO₃, 867
- Limiti, E.** See Bartolucci, G., 850
- Lin, D.** See Leung, K. W., 626
- Lin, J.** See Weedon, W. H., 587
- Lin, S.**
—; Zhang, S.; Chen, C.; Kumazawa, I.: Optical Multiple-Variable Fuzzy Logic Array Using Shadow Casting, 106
See Zhang, S., 792
- Lin, W.**
A New Type TEM Cell with a Sliding Cross as Inner Conductor, 266
See Zhou, X., 355
See Cheng, D., 575
- Lindell, I. V.**
Static Image Theory for Bi-Isotropic Media with Plane Parallel Interfaces, 228
Static Image Method for Layered Isotropic and Bi-Isotropic Cylinders, 383
—; Viitanen, A. J.; Koivisto, P. K.: Plane-Wave Propagation in a Transversely Bianisotropic Uniaxial Medium, 478
—; Tretyakov, S. A.; Viitanen, A. J.: Plane-Wave Propagation in a Uniaxial Chiro-Omega Medium, 517
See Sihvola, A. H., 581
- Ling, H.** See Kim, H., 168
- See Moore, J., 597
See Klimkowski, K., 692
- Litva, J.** See Chen, J., 87
- See Zhuang, Y., 235
- Liu, J.** See Bor, S., 141
- Liu, L.** See Li, G., 498
- Liu, S.** See Chang, W., 194, 351
- Liu, S. G.**
—; Subbarao, S. N.; Rosen, A.; Sarnoff, D.; Lee, C. H.: Fabrication and Performance of High-Power Optically Activated GaAs Opening Switch, 32
- Liu, Q.**
—; Chew, W. C.: A CG-FFHT Method for the Scattering Solution of Axisymmetric Inhomogeneous Media, 101
- Lo, T.** See Chen, J., 87
- Loi, K. K.**
—; Pun, E. Y. B.; Chung, P. S.: Characterization of Annealed Proton-Exchanged LiNbO₃ Waveguides Fabricated Using Toluic Acid, 378
- López-Amo, M.** See Vizoso, B., 766
- López-Hernández, J.** See Gabiola, F. J., 557
- López-Olagastí, E.** See Ojeda-Castañeda, J., 73
- Lu, C.**
—; Chew, W. C.: A Recursive Aggregation Method for the Computation of Electromagnetic Scattering by Randomly Distributed Particles, 774
See Chew, W. C., 185
- Lu, P.** See Bor, S., 141
- Luk, K. M.** See Tam, W. Y., 304
- See Leung, K. W., 626
- Lundgren, L.** See Nilsen, S. M., 621
- Lyons, B. N.**
—; Vizard, D. R.; Pike, J. P.; Kelly, W. M.: A Millimeter-Wave Total Power Radiometer, 677
- Lyons, W. G.**
—; Seaver, M. M.; Arsenault, D. R.; Boisvert, R. R.; Sollner, T. C. L. G., 728
- Macchiarella, G.** See Gentili, G. G., 295, 358
- Madjar, A.**
—; Malz, O.: A Novel Architecture of a Balanced Fiber-Optic Communication Link for Laser RIN Reduction, 15
—; Paolletta, A.; Herczfeld, P. R.: Light Interaction with GaAs MESFET and Its Applications—A Review, 22
See Paolletta, A., 38
- Maggo, G.** See Dan, S., 717
- Malz, O.** See Madjar, A., 15
- Mar, A.** See Helkey, R. J., 1
- Marietti, P.** See D'Agostino, S., 643
- Marin, J.** See Marti, J., 401
- Marqués, R.**
—; Aguilera, J.; Medina, F.; Horno, M.: On the Use of the Surface Impedance Approach in the Quasi-TEM Analysis of Lossy and Superconducting Strip Lines, 391
- Marquina, J. L.** See Gimeno, B., 813
- Martel, J.**
—; Boix, R. R.; Horno, M.: Static Characterization of Offset Asymmetric Microstrip Gap Discontinuities, 277
- Marti, J.**
—; Capmany, J.; Marin, J.: Sensitivity Analysis of Tuned Front-End Receivers for Subcarrier Multiplexing Systems, 401
- Masotti, D.** See Rizzoli, V., 907
- Massenzio, M.** See D'Agostino, S., 636
- Mastri, F.** See Rizzoli, V., 907
- Matera, F.**
—; Mecozzi, A.; Romagnoli, M.; Settembre, M.: Evolution of Signals in Long-Haul Fiber Links, 675
See Camarda, P., 889
- Mathew, K. T.**
—; Raveendranath, U.: Waveguide Cavity Perturbation Method for Measuring Complex Permittivity of Water, 104
- Mathew, T.**
—; Stephen, D. S.; Jose, K. A.; Aanandan, C. K.; Mohanan, P.; Nair, K. G.: The Performance of a Novel Simulated Corrugated Surface for the Reduction of Radar Cross Section, 615
- Maurin, D.** See Ghannouchi, F. M., 573
- McDowall, D. S.**
—; Fusco, V. F.: Electromagnetic Far-Field Pattern Modeling for an Active Microstrip Antenna Module, 275
- McGregor, J. M.** See Khalil, R., 115
- McNamara, D. A.** See Botha, E., 623

- Mecozzi, A.** See Matera, F., 675
- Medina, F.** See Marqués, R., 391
- Melloni, A.** See Gentili, G. G., 358
- Michielssen, E.**
- ; Whites, K.: A Stable Electric Field Integral Equation Approach for Analyzing Scattering from Nonplanar Wire Meshes with Arbitrarily Small Cell Sizes, 898
- See Webb, D. B., 875
- Miranda, F. A.**
- ; Toncich, S. S.; Bhasin, K. B.: Performance of Two-Pole Bandpass Filters Photodefined on Double-Sided Y-Ba-Cu-O and Ti-Ba-Ca-Cu-O Thin Films, 752
- Mitra, R.** See Ko, W. L., 552
- See Webb, D. B., 875
- Mohan, P.** See Mathew, T., 615
- Monahan, G. P.**
- ; Morris, A. S.; Steer, M. B.: A Coaxial Test Fixture for Characterizing Low-Impedance Microwave Two-Terminal Devices, 197
- Monzon, J. C.** See Weiglhofer, W. S., 681
- Moore, J.**
- ; Ling, H.: Time-Frequency Analysis of the Scattering Phenomenology in Finite Dielectric Gratings, 597
- Morinaga, N.** See Komaki, S., 55
- Morris, A. S.** See Monahan, G. P., 197
- Moss, S. E.** See Senior, J. M., 592
- Mouquet, Y.** See Gérard, H., 823
- Mouroulis, P.**
- Polarization-Independent Operation of Reflective Fiber Ring Resonators, 795
- Murphy, R. A.**
- ; Christodoulou, C. G.; Phillips, R. L.: Bistatic Scattering for a Finite Lossy Cylinder, 76
- Murthy, T. G. K.** See Lakshminarayana, D., 471
- Nair, K. G.** See Mathew, T., 615
- Nalbandian, V.** See Lee, C. S., 629
- Navarro, E. A.** See Cruz, J. L., 127
- Navasquillo, J.** See Gimeno, B., 813
- Negrete, G. V.**
- An Ultra-Low-Noise Millimeter-Wave Oscillator Using a Sapphire Disk Resonator and High-Temperature Superconductor Ground Planes, 758
- Neri, A.** See Rizzoli, V., 907
- das Neves, M. V. Guerreiro**
- ; Faria, Brandão, J. A.: On the Discretization Process Involved in the Staircase-Approximation Technique for Analyzing Radially Inhomogeneous Optical Fibers, 710
 - ; Brandão Faria, J. A.: An Efficient Method for Analyzing Graded-Index Optical Fibers, 426
- Newman, H. S.**
- ; Culbertson, J. C.: Measurement of the Current-Density Distribution in High-Temperature Superconducting Microstrip by Means of Kinetic-Inductance Photoresponse, 725
- Nguyen, C.** See Tran, M., 655
- Nguyen, V. X.** See Shen, Z.-Y., 732
- Nickerson, K.** See Song, J., 493
- Nilsen, S. M.**
- ; Lundgren, L.: An Approximate Analysis of the Output Power of a Resonant Tunneling Diode Oscillator, 621
- Noon, D. A.**
- ; Bialkowski, M. E.: An Inexpensive Microwave Distance Measuring System, 287
- Nuovo, M. M.** See Camarda, P., 889
- Ojeda-Castañeda, J.**
- ; López-Olazagasti, E.: Wavefields of Hypergaussian Screens, 73
- Olslager, F.**
- Field Singularities at the Common Tip of a Number of Concentric Biisotropic Cones, 862
 - ; De Zutter, D.: Analytical Behavior of the Surface Charge Density on a Conductor with Two Consecutive Edges with Right Angles, 578
- Ooi, B. L.** See Leong, M. S., 461
- Orengo, G.** See Giannini, F., 65
- Orta, R.** See Favreau, M., 121
- Paiva, C. R.**
- ; Topa, A. L.; Barbosa, A. M.: Novel Propagation Features of Dielectric Planar Chirowaveguides Due to Nonreciprocity, 182
- Paixão, O. P.**
- ; Souza, R. F.; Kretly, L. C.: Using Inductive Series Feedback to Stabilize a Microwave Distributed Amplifier with High Gain FETs: A New Design Approach, 564
- Pang, P. S. W.** See Shen, Z.-Y., 732
- Pao, L.** See Wenyan, Y., 561, 684
- Paoletta, A.**
- ; Herczfeld, P. R.; Madjar, A.: The Effect of Optical Intensity on the Photoresponse of the GaAs MESFET, 38
- See Madjar, A., 22
- Paoloni, C.**
- ; Kosslowsky, S.: Application of Filter Theory in the Design of TWAS Based on FETS with Different Gate Widths, 261
- See Giannini, F., 65
- Park, W. S.** See Seo, Y., 98
- Parker, J. R.** See Khalil, R., 115
- Pasala, K. M.** See Kaye, M., 452
- Pastorino, M.** See Caorsi, S., 208
- Pedro, J. C.**
- ; Perez, J.: A Novel Concept of Intermodulation Distortion Linearization, 410
- Pelet, P.**
- ; Engheta, N.: Mutual Coupling in Finite-Length Thin Wire Chirostrip Antennas, 671
- Perez, J.** See Pedro, J. C., 410
- Perl, T. D.** See Simons, R. N., 225
- Pettiette-Hall, C.** See Jackson, C. M., 748
- Phillips, R. L.** See Murphy, R. A., 76
- Pike, J. P.** See Lyons, B. N., 677
- Pinto, R.** See Easwar, K., 281
- Pirone, C.** See Cicchetti, R., 820
- Pistorius, C. W. I.** See Boonzaaier, J. J., 326
- Politi, M.** See Gentili, G. G., 358
- Polo, A.** See Gabiola, F. J., 557
- Pomer, F.** See Gimeno, B., 813
- Pond, J. M.** See Kain, A. Z., 755
- Potter, K. A.** See Guo, Y., 457

- Pouliquen, P.**
—; Desclos, L.: Model of the Polarimetric Behavior of Chaff Media, 214
See Desclos, L., 135
- Prabhakaran, P. J.** See Goel, A. K., 646
- Prasad, R. V. Hara**
—; Lakshminarayana, D.: On the Design and Analysis of Ultrabroadband Antenna Windows, 665
See Lakshminarayana, D., 471
- Pribetich, P.** See Carpentier, J. F., 319
- Pun, E. Y. B.** See Loi, K. K., 378
- Qing, L.** See Zhendong, S., 301
- Qiu, Y.** See Jin, R., 697
- Ra, J.** See Lee, J., 441
See Kang, J., 549
- Raveendranath, U.** See Mathew, K. T., 104
- Reineix, A.** See Alaeddine, A., 694
- Rengarajan, S. R.**
—; Derneryd, A.: Improved Scattering Model for Weak Broad-Wall Slots, 504
—; Steinbeck, M.: Longitudinal Slots in Dielectric-Filled Rectangular Waveguides, 649
- Reuster, D.** See Kaye, M., 452
- Rizzoli, V.**
—; Mastri, F.; Masotti, D.; Neri, A.: Full Nonlinear Analysis of Near-Carrier Noise in Discriminator-Stabilized Microwave Oscillators, 907
- Robertson, I. D.** See Gillick, M., 720
See Brewster, B. D., 789
See Bayar, E., 837
- Rohlfing, S. M.** See Fenzi, N. O., 744
- Romagnoli, M.** See Matera, F., 675
- Rosen, A.** See Liu, S. G., 32
- Rosenfeld, D.**
—; Alterovitz, S. A.: The Effects of Strain on the Microwave Performance of SiGe HBTs, 689
- Rosenzweig, J.** See Bangert, A., 36
- Roudas, I.** See Jaouën, Y., 903
- Roulston, D. J.** See Khalil, R., 115
- Roy, J. S.**
—; Jecko, B.: Simplified Design Theory for a Circular Microstrip Patch Antenna, 201
—; Jecko, B.: Errata to "Simplified Design Theory for a Circular Microstrip Patch Antenna," 670
- Ruffin, P. B.** See Yu, F. T. S., 632
- Rushan, C.**
—; Dagang, F.; Xinguo, L.: Analysis of Coupled Cylindrical Substrate Microstrip Lines by the Method of Lines, 256
- Rutledge, D. B.** See Guo, Y., 457
- Rynne, B. P.**
A Note on the Testing Function Used in the Method-of-Moments Solution of Thin-Wire Antenna Problems, 786
- Sangani, H.** See Tsang, L., 148
- Sangster, A. J.**
—; Wang, H.: Hybrid Analytical Technique for Waveguide Coupling by Means of Apertures or Slots, 829
- Santamaria, A.** See Gabiola, F. J., 557
- Sarkar, B. K.** See Easwar, K., 281
- Sarkar, T. K.** See Adve, R. S., 569
- Sarnoff, D.** See Liu, S. G., 32
- Savi, P.** See Favreau, M., 121
- Schlager, J. B.**
—; Hale, P. D.; Franzen, D. L.: High-Sensitivity Optical Sampling Using an Erbium-Doped Fiber Laser Strobe, 835
- Schmauss, B.**
All-Fiber Mode-Multiplexed Transmission of Two Channels in a Single Step-Index Multimode Fiber, 93
- Schmidt, J. C.** See Christodoulou, C. G., 507
- Schneider, J.** See Bangert, A., 36
- Schwering, F.** See Lee, C. S., 629
- Seaver, M. M.** See Lyons, W. G., 728
- Senior, J. M.**
—; Moss, S. E.; Cusworth, S. D.: Improved Performance of Power-Efficient Topologies for WDM Optical Sensor Networks Using an Extended Spectral-Width Broadband LED, 592
- Seo, C.**
—; Lee, C. W.: Analysis of Uncovered Two-Layer Three-Coupled Microstrip Lines on Anisotropic Substrates, 432
- Seo, Y.**
—; Kim, B.; Park, W. S.: The Effect of Parasitic Components of GaAs FETs on High-Frequency Gain, 98
- Settembre, M.** See Matera, F., 675
See Camarda, P., 889
- Sezginer, A.** See Weedon, W. H., 587
- Shamonin, M.**
—; Erdmann, A.; Hertel, P.; Dötsch, H.: A Note on the Analysis of Nonreciprocal Phase Shifters by the Spectral Index Method, 790
- Shen, Z.**
The Theory of Chiroferrite Waveguides, 397
- Shen, Z.-Y.**
—; Wilker, C.; Pang, P. S. W.; Carter III, C. F.; Nguyen, V. X.; Laubacher, D. B.: High-Temperature Superconductor/III-V Hybrid Microwave Circuits, 732
- Sheybani, E. O.** See Arora, K., 151
- Shi, X.**
—; Liang, C.: A Generalized Gel'fand-Lavitan Equation for Purely Conducting Layered Media with Applications, 585
- Shi, Z.**
—; Ding, C.; Jia, Y.: Effects of Absorbent Materials on the RCS of a Partially Coated Scatterer, 109
- Shimizu, M.**
—; Babić, D. I.; Dudley, J. J.; Jiang, W. B.; Bowers, J. E.: Thermal Resistance of 1.3- μm InGaAsP Vertical Cavity Lasers, 455
- Sihvola, A. H.**
—; Lindell, I. V.: Novel Effects in Wave Reflection from Biisotropic Media, 581
- Silvestro, J.** See Simons, R. N., 225
- Simons, R. N.**
—; Lee, R. Q.; Perl, T. D.: Effect of a Dielectric Overlay on a Linearly Tapered Slot Antenna

- Excited by a Coplanar Waveguide, 225
- Smolders, A. B.** See Arts, M. J., 466
- Soares, E. R.** See Fenzi, N. O., 744
- Sochava, A. A.** See Tretyakov, S. A., 701
- Sollner, T. C. L. G.** See Lyons, W. G., 728
- Song, J.**
- ; Conn, D.; Wu, X.; Nickerson, K.: An Equivalent Circuit Model of the Optical Probe in Electro-Optical Sampling Systems, 493
- Souza, R. F.** See Paixão, O. P., 564
- Steer, M. B.** See Monahan, G. P., 197
- Steinbeck, M.** See Rengarajan, S. R., 649
- Stephen, D. S.** See Mathew, T., 615
- Subbarao, S. N.** See Liu, S. G., 32
- Such, V.** See Cruz, J. L., 127
- Sun, M. S.** See Chen, R. S., 617
- Sun, Z. L.** See Dou, W. B., 475
- Taalbi, M.**
- ; Ishii, T. K.: Explanation of Acousto-Optic Frequency Multiplication in Amorphous Materials, 370
 - ; Ishii, T. K.: Frequency Multiplication of Acoustic Signals with an Optical Fiber, 415
- Tabib-Azar, M.**
- ; Claspy, P. C.; Chorey, C.; Bhasin, K. B.: An Analysis of the Frequency Limitations of an $\text{Al}_x\text{Ga}_{1-x}\text{As}/\text{GaAs}$ Optical Modulator, 18
- Tam, E. C.** See Gregory, D. A., 211
- Tam, S. W.** See Tam, W. Y., 304
- Tam, W. Y.**
- ; Tam, S. W.; Luk, K. M.; Lai, K. Y. A.: Electric Surface Current Model for the Analysis of the Radiation Resistance of a Spherical Circular Microstrip Antenna, 304
- Tang, X.**
- ; Ye, P.: Optimal Design of Long-Haul Optical Soliton Communication Systems with Lumped Amplifiers, 312
- ; Ye, P.: Effects of Initial Chirp of Control Pulse on Soliton-Dragging Logic Gates, 826
- Tanone, A.** See Gregory, D. A., 211
- Tascone, R.** See Favreau, M., 121
- Thakur, A.** See Dan, S., 717
- Toncich, S. S.** See Miranda, F. A., 752
- Topa, A. L.** See Paiva, C. R., 182
- Toscano, A.**
- ; Vegni, L.: Effects of Chirality Admittance on the Propagating Modes in a Parallel-Plate Waveguide Partially Filled with a Chiral Slab, 806
- Tran, M.**
- ; Nguyen, C.: A New Rectenna Circuit Using a Bow-Tie Antenna for the Conversion of Microwave Power to DC Power, 655
- Tretyakov, S. A.**
- Thin Pseudochiral Layers:
- Approximate Boundary Conditions and Potential Applications, 112
 - ; Haliullin, D. Ya.: Free-Space Techniques for Biisotropic Media Parameter Measurement, 512
 - ; Sochava, A. A.: Eigenwaves in Uniaxial Chiral Omega Media, 701
- See Lindell, I. V., 517
- Trifiletti, A.** See Betti, S., 525
- Tsang, L.**
- ; Chan, C. H.; Sangani, H.: Application of a Banded Matrix Iterative Approach to Monte Carlo Simulations of Scattering of Waves by a Random Rough Surface: TM Case, 148
- See Chen, Z., 611
- Tu, B. F.** See Zhao, Y., 258
- Tukamoto, K.** See Komaki, S., 55
- Unwin, R. T.** See Greaves, S. D., 60, 892
- Vaitheeswaran, S. M.** See Yousefi, M. H., 594
- Valor, L.** See Zapata, J., 905
- van Rensburg, D. J. J.**
- Comment on "On the Linear Independence of Testing Functions Used in the Method of Moments" by M. Kaye, K. M. Pasala, and D. Reuster [1], 451
- Vardaxoglou, J. C.** See Chandran, S., 339
- Vaudon, P.**
- ; Jecko, B.: A Further Development on Uniform Asymptotic Expansions, 252
- Vegni, L.** See Toscano, A., 806
- Verdeyme, S.** See Baillargeat, D., 84
- Viitanen, A. J.** See Lindell, I. V., 478, 517
- Vilcot, J. P.** See Elkadi, H., 245
- Vizard, D. R.** See Lyons, B. N., 677
- Vizoso, B.**
- ; Civera, R.; López-Amo, M.: Double Serial Amplified Recirculating Delay Line, 766
- Volakis, J. L.** See Chatterjee, A., 886
- Wandzura, S.**
- Biconjugate Gradient Method for Bistatic Scattering Calculations, 534
- Wang, H.** See Sangster, A. J., 829
- Wang, W.** See Chang, W., 194, 351
- Wang, W.** See Yin, W., 221
- Wang, Y. H.**
- Full Guided Mode Expansion Method and Optimized Sine Method for Analyzing Optical Waveguides, 268
- Wasserbauer, J. G.** See Helkey, R. J., 1
- Webb, D. B.**
- ; Michielssen, E.; Mittra, R.: Single and Double Square-Loop Frequency-Selective Surfaces with Thick Metallization, 875
- Weedon, W. H.**
- ; Chew, W. C.; Lin, J.; Sezginer, A.; Druskin, V. L.: A 2.5D Scalar Helmholtz Wave Solution Employing the Spectral Lanczos Decomposition Method (SLDM), 587
- Weiglhofer, W. S.**
- ; Lakhtakia, A.; Monzon, J. C.: Maxwell-Garnett Model for Composites of Electrically Small Uniaxial Objects, 681
- See Lakhtakia, A., 804

- Wenyan, Y.**
—; Pao, L.: The Focal Points of Radially Stratified Spherical Chirrolenses, 561
—; Pao, L.: The Analysis of Propagation Characteristics in Planar Gyrotropic Chirowaveguides, 684
- Whites, K.** See Michielssen, E., 898
- Wilker, C.** See Shen, Z-Y., 732
- Williamson, A. G.** See Keam, R. B., 230
- Wilson, M. G. F.** See Liang, J. Y., 423, 867
- Wire, M. S.** See Jackson, C. M., 748
- Wong, K.**
—; Chen, H.: Resonance in a Spherical Annular-Ring Microstrip Structure, 852
See Chen, H., 705
See Ke, S., 911
- Wu, C.** See Zhuang, Y., 235
- Wu, K.** See Zhuang, Y., 235
- Wu, T.**
Low Cost L-Band Mobile Terminal Antennas for Helicopters, 846
- Wu, T. K.**
—; Lee, S. W.; Zimmerman, M. L.: Evaluation of Frequency-Selective Reflector Antenna Systems, 175
- Wu, W.** See Gao, H., 223
- Wu, X.**
—; Chang, K.: Integrated Active Slot Dipole Antenna Amplifier, 856
See Song, J., 493
- Xinguo, L.** See Rushan, C., 256
- Yan, D.** See Zhang, J., 446
See Zhang, L., 481
- Yam, Y.** See Cheung, C., 138
- Yang, S. W.** See Zhao, Y., 258
- Ye, P.** See Tang, X., 312, 826
- Yeo, T. S.**
—; Leong, M. S.; Kooi, P. S.; Lee, Y. K.: On the Modal Analysis of Multiple and Asymmetrical Irises in a Rectangular Waveguide, 545
See Cai, M., 218
See Leong, M. S., 363, 461
See Hum, P. J., 869
- Yin, S.** See Gregory, D. A., 211
- See Yu, F. T. S., 632**
- Yin, W.**
—; Li, P.: The Theory of Multilayered Spherical Chirodome, 179
—; Wang, W.: Analyzing the Radiated Characteristics of a Two-Layered Chirostrip Dipole Antenna Using the Dyadic Green's Function, 221
—; Li, P.: Effects of Chirality Admittance on the Cutoff Wavelength of Propagating Modes in a Chiral Coaxial Line, 381
- Yip, P. C. L.** See Lam, V. M. T., 249
- Yousefi, M. H.**
—; Aiyer, R. C.; Vaitheeswaran, S. M.; Karekar, R. N.: Wide-Range Variable-Bandwidth Microstrip Patch Antenna Using Electromagnetic Coupling, 594
- Yu, F. T. S.**
—; Yin, S.; Ruffin, P. B.: Application of Hadamard Transform to Fiber-Optic Smart-Skin Sensing, 632
See Gregory, D. A., 211
- Yuan, L.**
Numerical Modeling of Wave Propagation in Optical Nonlinear Couplers, 600
- Zapata, J.**
—; Garcia, J.; Valor, L.; Garai, J. M.: Field-Theory Analysis of Cross-Iris Coupling in Circular Waveguide Resonators, 905
- Zeng, C.** See Huang, Z., 342
- Zhang, J.**
—; Zhang, L.; Yan, D.; He, A.: Local Interconnection Neural Networks, 446
See Zhang, L., 481
- Zhang, L.**
—; Zhang, J.; He, A.; Yan, D.: Optical Implementation of Localized Interconnected Neural Network, 481
See Zhang, J., 446
- Zhang, S.**
—; Lin, S.; Chen, C.: An Optical Fuzzy Matrix-Vector Processor for Implementing Fuzzy Associative Memory, 792
See Lin, S., 106
- Zhao, X. Y.** See Liang, C. H., 163
- Zhao, Y.**
—; Yang, S. W.; Tu, B. F.: Evolution of a Stokes Wave Pumped by an Elementary Soliton Propagating in Optical Fibers, 258
See Cheng, D., 575
- Zhendong, S.**
—; Qing, L.: Effects of Variance in the Size of the Scatterer on Its Radar Cross Section, 301
- Zhou, X.**
—; Lin, W.: A Simple Method of Calculating the Capacitance of an Insulated Conductor, 355
- Zhuang, Y.**
—; Wu, K.; Wu, C.; Litva, J.: Full-Wave Analysis of Finite Large Printed Dipole Arrays Using the Conjugate Gradient—FFT Method, 235
- Zimmerman, M.**
—; Lee, R. Q.: Directivity Versus Element Spacing for a Scanning Array, 361
- Zimmerman, M. L.** See Wu, T. K., 175
- Zucker, J. E.**
High-Speed Quantum-Well Interferometric Modulators for InP-Based Photonic Integrated Circuits, 6

Microwave and Optical Technology Letters

Subject Index to Volume 6

- A-sandwich window, 665
- Absorbent material, 109
- Absorbers, 163
- Absorbing boundary, 587
- Absorbing boundary condition, 886
- Acousto-optic amorphous materials, 370
- Acousto-optic modulator, 415
- Active antenna, 275
- Active antennas, 856
- Amplifier, 732
- Amplifier design, 837
- Amplifiers, 138, 892
- Analog optical transmission, 205
- Anechoic chamber, 135
- Anisotropic media, 657, 815
- Anisotropic substrates, 432
- Annular-ring microstrip patch, 852
- Antenna, 840
- Antenna array, 361, 737
- Antenna arrays, 466, 623
- Antenna coupling, 671
- Antenna design, 201
- Antenna feed, 225, 594
- Antenna measurements, 131
- Antennas, 466, 555
- Apodizing screens, 73
- ASE, 675
- Associative memory, 446, 481
- Asymptotic expansions, 252
- Atmospheric turbulence, 124
- Attenuation, 490
- Banded matrix iterative approach, 148
- Bandwidth, 629
- Basis functions, 786
- Beam propagation, 73
- Beam-forming network, 737
- Bianisotropic, 701
- Bianisotropic materials, 804
- Bianisotropic media, 663
- Bianisotropic spheroid, 575
- Bianisotropic uniaxial medium, 478, 858
- Biconical antenna, 471
- Bi-isotropic cylinders, 383
- Biisotropic materials, 512
- Bi-isotropic media, 228
- Biisotropic media, 581
- Bi-isotropic (nonreciprocal chiral) media, 182
- Bistatic scattering, 76
- Born approximation, 681
- Boundary conditions, 112
- Bow-tie antenna, 655
- Branch-line couplers, 720
- Breakdown, 652
- Break-point technique, 545
- Brewster angle, 581
- Brewster screen, 663
- Broad bandwidth, 292
- Broadband LED, 592
- Bulk conductivity, 76
- Butterworth filter, 376
- C-sandwich window, 665
- CAD, 564
- Calibration, 287
- Capacitance, 355
- Cauchy, 569
- Cavity, 697
- Cavity model, 629
- Centering design, 401
- CG-FFT method, 235
- Chaff, 214
- Characteristic equation, 342
- Characteristic impedances, 432
- Charge density singularity, 578
- Chiral, 701
- Chiral coaxial line, 381
- Chiral material, 671
- Chiral media, 397, 862
- Chiral medium, 381, 478, 517, 561, 806, 858
- Chiral waveguide, 806
- Chirality, 581
- Chirality admittance, 381, 806
- Chiroferrite waveguides, 397
- Chirostrip dipole antenna, 221
- Chirowaveguide, 536, 797
- Chirp filter, 728
- Chirped gratings, 507
- Cholesterics, 804
- Chromatic dispersion, 675
- Circuit design, 141
- Circuit modeling, 245
- Circular boundary shape, 623
- Circular patch antenna, 201
- Coated waveguide, 342
- Coaxial connector, 717
- Coaxial-rectangular waveguide interface, 230
- Coherent systems, 525
- Collector efficiency, 138
- Complex index of refraction, 490
- Complex mode, 873
- Complex permittivity, 104
- Composite media, 681
- Computational electromagnetics, 597
- Computer tomography, 843
- Conductivity profile, 585
- Conjugate gradient, 101
- Coplanar, 157
- Coplanar waveguide, 225, 333, 493, 715, 879
- Coplanar waveguide amplifier, 837
- Coplanar waveguide antenna, 349
- Coplanar waveguides, 720
- Coupling, 256
- Coupling irises, 905
- Coupling slots, 504
- CPW resonators, 755
- Cross-over lines, 319
- Cross-polarization characteristics, 705
- Cross talk, 646
- Cross-polarization characteristics, 911
- Cryogenic, 520
- Cryogenic electronics, 758
- Cryogenic load, 677
- Current density, 725
- Cutoff frequency, 689
- Cutoff wavelength, 381, 684, 806
- Cylindrical cavity, 869
- Cylindrical curvature, 762
- Cylindrical microstrip line, 256
- Cylindrical microstrip structure, 911
- Deembedding, 823
- Defocused radiation patterns, 769
- Delay line, 766
- Depolarization, 777
- Detector, 655
- Device characterization, 569
- Device modeling, 60, 605
- Devine equivalent circuit, 461
- Dielectric-filled guides, 649
- Dielectric gratings, 597
- Dielectric hybrid-mode horn, 475
- Dielectric loss, 281
- Dielectric planar chirowaveguides, 182
- Dielectric post, 407
- Dielectric resonator, 84, 419
- Dielectric resonator antenna, 626
- Dielectric slotted waveguide, 782
- Diffraction, 252, 307
- Diode characterization, 197
- Diplexer, 121
- Dipoles, 214

- Direct optical control, 36
- Direct optical injection locking, 33
- Directivity, 361
- Discontinuity, 407
- Discrete image technique, 235
- Dispersion, 268
- Dispersion characteristics, 426
- Dispersion curves, 710
- Dispersion equation, 684
- Distance measurement, 287
- Distributed amplifier, 223, 564
- Distributed amplifiers, 636
- Double nulls and dips, 549
- Double-sided HTS thin films, 752
- Double-step discontinuity, 358
- Dual-frequency microstrip antenna, 629
- Dyadic Green's function, 179, 221, 561
- Eigenequation, 607
- Eigenfunction, 697
- Eigenwaves, 701, 782
- Electric dipole, 283
- Electric surface current model, 304
- Electromagnetic compatibility, 820
- Electromagnetic coupling, 240, 594
- Electromagnetic field, 70
- Electromagnetic radiation, 886
- Electromagnetic scattering, 168, 534, 692, 774, 886
- Electromagnetic wave, 407
- Electromagnetically coupled patch antenna, 436
- Electromagnetics, 252, 383, 517, 862
- Electro-optic effect, 815
- Electro-optical sampling, 493
- EM scattering, 444
- Equivalent capacitance conductor, 355
- Equivalent circuit, 850
- Equivalent circuit model, 493
- Equivalent circuits, 81
- Extrapolation, 569
- Far-zone radiating fields, 283
- Fast algorithm, 185
- Fast Fourier transform, 101
- Fast Hankel transform, 101
- FD-TD, 407
- Feedback, 564
- Ferrite strip line, 112
- FET, 166, 223, 564
- FET amplifiers, 636
- FET chips, 823
- Fiber coupling, 73
- Fiber dispersion, 173, 205
- Fiber-optic processor, 766
- Fiber optic transmission, 93
- Fiber optics, 632
- Fiber ring, 766
- Fiber sensors, 795
- Field measurements, 283
- Field singularities, 862
- Field theory, 905
- Filter, 715
- Filters, 569
- Finite difference method, 455
- Finite-difference time-domain method, 326, 552, 869
- Finite-difference-time-domain method, 694
- Finite-element method, 84, 873, 886
- Finite element methods, 829
- Finite ground planes, 879
- Finite large microstrip dipole arrays, 235
- First- and second-order modulation of the index of refraction, 370
- Focal point, 561
- Focusing from planar structures, 507
- Four-port networks, 720
- Fractal, 87
- Frequency chirp, 826
- Frequency compensation, 573
- Frequency-dependent permittivity, 76
- Frequency divider, 166, 617
- Frequency doubling and tripling, 370
- Frequency doubling, tripling, and phase shifting, 415
- Frequency scanning, 615
- Frequency-selective surface, 175
- Frequency-selective surfaces, 339, 875
- Frequency stability, 907
- Fresnel prism, 403
- Fresnel zone plate, 840
- Fresnel-zone plate antenna, 769
- Full-wave analysis, 235
- Fuzzy associative memory, 792
- Fuzzy matrix-vector processor, 792
- GaAs, 646
- GaAs FET, 98
- GaAs MESFET, 22
- GaAs MESFET photodetector, 38
- Gain-bandwidth product, 38
- Gain dispersion, 81
- Galerkin method, 813
- Galerkin's method, 490
- Gaussian beam modes, 475
- Generalized eigenvalue method, 552
- Generalized Gel'fand-Lavitan equation, 585
- Generalized Lambertian profile, 557
- Generalized pencil-of-function method, 552
- Geometric optics, 175
- Graded-index fibers, 426
- Gratings, 777
- Green's theorem, 363
- Grids, 777
- Grounded chiroslab guides, 182
- Gyrotropic chiral medium, 684
- H-plane waveguide, 407
- Harmonic balance analysis, 275
- HBT, 605
- HBT oscillator, 609
- Helices, 681
- Helicoidal materials, 804
- Helicopter satellite communications, 846
- HEMT, 98
- HEMTs, 36, 50
- He-Ne laser, 415
- Heterodyning, 151
- Heterojunction devices, 18
- Heterojunction bipolar transistor, 689
- High-order narrow-band microwave filters, 809
- High power switch, 652
- High-speed modulators, 6
- High- T_c superconductivity, 728
- High-temperature superconductor, 732
- High-temperature superconductors, 737, 755
- Hopfield model, 446
- HTS, 758
- HTS mixers, 744
- HTSC, 281
- Huygen's principle, 185
- Hybrid coupler, 789
- Hybrid microwave circuit, 732
- Hybrid mode, 381, 806
- Hybrid orthogonal, 95
- Hybrid superconductor-semiconductor electronics, 520
- Hypercube computer, 692
- Hypergaussian beams, 73
- Image method, 383
- Image theory, 228, 575
- IM DD, 675
- IMPATT, 197
- Impedance, 387

- Impedance matrix sparsification, 168
- Impermeability tensor, 657
- Index ellipsoid, 657, 815
- Indirect optical control, 36
- Indium phosphide, 81
- Inhomogeneous medium, 101
- Injection lock, 609
- Inner conductor, 266
- InP devices, 6
- Input impedance, 626, 717
- Insertion loss measurements, 752
- Instability, 564
- Insulated conductor, 355
- Integral equation, 333
- Integrated antenna amplifiers, 856
- Integrated beam-forming network, 782
- Integrated-circuit horn-antenna array, 457
- Integrated optics, 378, 423, 532, 790, 867
- Interconnections, 646
- Interfaces, 634
- Interferometer, 403, 532, 867
- Interferometers, 18
- Intermodulation, 410
- Interpolation, 569
- Interpolation and extrapolation of transient time response, 552
- Inverse scattering, 208, 585
- Inverted microstrip, 281
- Irradiance, 557
- Isotropic cylinders, 383

- JFETs, 81
- Joint transform correlator, 211
- Josephson junction, 748

- K distribution, 87
- Kerr, 675
- Kerr effect, 297
- Kinetic inductance, 725

- Lanczos, 587
- Large signal, 617
- Large-signal analysis, 605
- Laser diode, 33
- Laser dynamic range, 15
- Laser energy transfer, 73
- Laser noise, 15
- Layered medium, 875
- LCTV, 211
- Lightwave incidence angle, 415
- Lightwave polarization destroyed, 415
- Line capacitances, 432
- Lithium niobate, 378

- Local interconnection, 446
- Localized interconnected neural network, 481
- Logic gate, 826
- Logic operation, 498
- Long-wavelength approximation, 575
- Longitudinal field components, 283
- Loss, 490
- Lossy cover layer, 762
- Lossy dielectric, 869
- Lossy dielectrics, 326
- Lossy microstrip, 391
- Lossy target, 301
- Low-frequency concepts, 809
- Low-noise amplifier (LNA), 141
- Low-noise optical-receiver design, 60
- Low noise receiver, 643

- Magnetic dipole, 283
- Magnetic line source, 762
- Magnetostatic surface wave, 441
- Matching circles, 141
- Material growth, 314
- Matrix operation, 188
- Matrix perturbation theory, 607
- Maximum frequency, 689
- Maxwell-Garnett model, 681
- Measurement, 135, 197
- Measurements, 823
- MESFET, 410, 461, 892
- MESFET oscillator, 33
- MESFETs, 50
- Metallic strips, 444
- Method of lines, 256
- Method of moments, 534, 569, 578
- Method of scattering superposition, 179
- MHMIC, 573
- Microdevices, 314
- Microstrip, 201, 541, 555, 725, 789
- Microstrip antenna, 157, 304, 322, 436, 466, 594, 660, 694
- Microstrip antennas, 240, 717, 737
- Microstrip dipoles, 238
- Microstrip discontinuities, 277
- Microstrip discontinuity, 850
- Microstrip line, 127, 820, 873
- Microstrip patch, 762
- Microstrip patch antenna, 275
- Microwave active filters, 809
- Microwave amplifier, 410
- Microwave-dc conversion, 655
- Microwave filters, 905
- Microwave imaging, 208
- Microwave integrated circuits, 218, 238, 349, 486, 715, 789, 879

- Microwave-light interaction, 22
- Microwave measurements, 512
- Microwave-optical interaction, 32, 42
- Microwave-optical interactions, 609
- Microwave photonics, 50
- Microwave photonics R&D, 50
- Microwave resonator, 607
- Microwaves, 33
- Millimeter wave, 166, 245, 617, 677, 758
- Millimeter-wave device, 621
- Millimeter-wave oscillators, 1
- Millimeter waves, 121, 475
- Missing projection, 843
- Mixer, 732
- MMIC, 22, 65, 319, 391, 520, 636
- MMICs, 141
- Mobile communication, 55
- Mobile communication antennas, 846
- Mobile communications, 292, 643, 846
- Mobilesat, 240
- Modal analysis, 905
- Modal attenuation, 342
- Mode converter, 536
- Mode coupling, 84, 536
- Mode-locked erbium-doped fiber laser strobe, 835
- Mode-locked lasers, 1
- Mode locking, 249
- Mode matching, 358
- Mode multiplexing, 93
- Modeling, 138
- Modes, 541
- Modulation instability, 675
- Moment method, 168, 441, 692
- Moment methods, 786, 829
- Monolithic integrated circuit, 261
- Monolithic integrated circuits, 837
- Monolithic microwave integrated circuits, 720
- Monolithic transmission line, 333
- Monte Carlo simulations, 148
- Multiconductor, 486
- Multielectrode lasers, 245
- Multihop, 889
- Multilayer polarizer, 471
- Multilayered circuits, 486
- Multilayered spherical chirodome, 179
- Multimodal networks, 444
- Multiple and asymmetrical irises, 545
- Multiple PPM, 800
- Multipulse signaling, 124
- Mutual impedance, 322

- Naonometer structures, 314
- Near-field diffraction pattern, 549
- Negative conductance, 621
- Nematics, 804
- Networks, 889
- Network topologies, 592
- Neural network, 446, 611
- Noise, 907
- Noise characterization, 60
- Noise measurements of weak link mixers, 744
- Noise parameters, 892
- Nonlinear circuits, 636
- Nonlinear dispersion curve, 194, 351
- Nonlinear guided wave, 194, 351
- Nonlinear modeling, 410
- Nonlinear optics, 600
- Nonlinear oscillator, 166
- Nonplanar wire meshes, 898
- Nonpunctual optical source, 557
- Nonreciprocal effects, 581
- Nonreciprocal phase shifter, 790
- Nonreciprocity, 512
- Nonresonant acoustic standing waves, 370
- Numerical calculation, 256
- Numerical method, 208, 774
- Numerical methods, 898
- Numerical modeling, 600

- Oblique incidence, 163
- On-wafer phase locking, 27
- Optical attenuation, 490
- Optical bistability, 297
- Optical communication, 55, 65, 124, 882
- Optical communications, 15, 525, 527, 800, 903
- Optical computing, 106, 843
- Optical control of GaAs monolithic integrated circuits (MMICs), 38
- Optical controlled microwave switch, 32
- Optical couplers, 600
- Optical devices, 314
- Optical fiber, 258, 415, 490
- Optical fiber communication, 312
- Optical fiber communications, 394
- Optical fiber coupler, 297
- 3×3 Optical fiber couplers, 833
- Optical 3×3 fiber couplers, 896
- Optical-fiber equalization, 173
- Optical fiber link, 173
- Optical fiber loop resonator, 297
- Optical fiber loop resonators, 833
- Optical fiber ring resonator, 376
- Optical-fiber ring and loop resonators, 896
- Optical fiber sensors, 592
- Optical fibers, 710
- Optical fuzzy logic, 106
- Optical gates, 889
- Optical image processing, 106, 190
- Optical implementation, 481
- Optical interconnects, 115
- Optical logic, 106
- Optical-microwave interactions, 36
- Optical-microwave intermixing, 27
- Optical modulation, 1, 867
- Optical modulators, 18
- Optical pattern processing, 498
- Optical probe, 493
- Optical processor, 188
- Optical pulse position modulation, 394
- Optical ray tracing, 665
- Optical receivers, 115, 903
- Optical sampling, 835
- Optical shadow casting, 190
- Optical signal processing, 532
- Optical soliton, 826
- Optical switch, 826
- Optical waveguides, 268, 378
- Optically controlled microwave devices, 42
- Optimal design, 312
- Optimization, 493
- Optimization substrate, 541
- Oscillator, 621, 732, 758
- Oscillators, 36, 907

- Pad capacitances, 823
- Parabolic reflector antenna, 769
- Parallel computation, 692
- Parallel-plate waveguide, 127
- Parasitic impedance, 98
- Parasitic subarray, 157
- Partially coated scatterer, 109
- Passive components, 905
- Patch antenna, 387, 594
- Pattern logic, 106
- Periodic inhomogeneity, 804
- Perturbation, 104
- Phase correction, 840
- Phase modulator, 211
- Phase noise, 758, 903
- Phase shifter, 748
- Phase shifting, 370
- Phase velocity, 755
- Phased array, 466
- Photodectors, 115
- Photonic ICs, 6
- Photoresponse, 725
- Physical-optics approximation, 301

- P-i-n switch, 32
- PIN-FET receiver, 882
- Planar discontinuities, 333
- Planar gyrotropic chirowaveguides, 684
- Planar model, 850
- Planar structure, 697
- Plane electromagnetic waves, 163
- Point-to-point channel, 557
- Polarimeter, 131
- Polarimetric, 135, 214, 307
- Polarimetric signatures, 611
- Polarization, 403
- Polarization fading, 795
- Polarization modulation, 525
- Polarization properties, 858
- Potential problem, 578, 862
- Power dividers/combiners, 809
- Power gain, 98
- Power transmission coefficient, 665
- PPM, 527
- Printed antennas, 671
- Printed horn, 127
- Probe impedance, 457
- Progressive waves, 370
- Propagation constant, 797
- Propagation constants, 432
- Propagation delay, 646
- Proton exchange, 378
- Pseudochiral, 112
- PSK, 675
- Pulse distortion, 205
- Pulse position modulation, 882
- Pulse sharpening, 748

- Q factor, 104
- Q measurement, 419
- Quadrature receiver, 287
- Quantum well, 621
- Quantum-well devices, 6
- Quasidiffuse channel, 557
- Quasioptical antenna, 782
- Quasioptical cavity, 70
- Quasioptical filtering, 677
- Quasistatic analysis, 295
- Quasi-TEM, 578

- Radar cross section, 109, 131, 135, 301, 307, 534, 615
- Radar cross section (RCS), 214
- Radiation, 660
- Radiation impedance, 441
- Radiation loss, 333
- Radiation pattern, 221, 626, 762
- Radiation resistance, 179, 304
- Radiation sensibility, 820
- Radiating slots, 504, 649

- Radio communication, 55
- Radiometer, 121
- Random rough surface scattering, 148
- Rational polynomials, 569
- Real-time spectrum analysis, 728
- Reciprocity theorem, 710
- Recognition, 135
- Reconstruction, 585
- Rectangular metallic waveguide, 363
- Rectangular waveguide, 797
- Rectenna, 655
- Recursive and transversal filters, 809
- Reference source, 249
- Reflection gratings, 615
- Reflector antenna, 95, 175
- Refractive index profiles, 426, 710
- Remote sensing, 611, 774
- Resonant frequency, 555
- Resonant mode, 70
- Rib waveguide, 790
- Right-angled bend, 363
- Ring antenna, 541, 660
- Ring resonator, 795
- Rotational inhomogeneity, 804
- Sapphire, 758
- Satellite communications, 240, 643
- Scale factor, 301, 795
- Scale model, 109
- Scale-model measurement, 301
- Scaled model, 457
- Scan performance, 769
- Scanning antennas, 112
- Scanning array, 361
- Scattering, 87, 151, 326, 507, 575, 587, 597, 681, 777, 813, 898
- Selective excitation, 93
- Self-focusing, 351
- Semiconductor laser diodes, 50
- Sensitivity, 401
- Silicon-germanium, 689
- Simulation, 138
- Single-mode fiber-optic networks, 634
- Six-port, 573
- Slant linear polarization, 471
- Sliding cross, 266
- Slot antenna, 225
- Slot arrays, 504, 649
- Slot dipole antennas, 856
- Slot loop antenna, 292
- Smart skin sensor, 632
- Smectics, 804
- Soliton, 258
- Soliton transmission, 312
- Solitons, 675
- Spatial distribution, 725
- Spatial filtering arrays, 339
- Spatial filters, 875
- Spectra, 527, 800
- Spectral, 587
- Spectral domain, 697
- Spectral-domain analysis, 157, 486
- Spectral domain analysis, 436
- Spectral-domain method, 277, 295
- Spectral filters, 833
- Spectral index method, 790
- Spherical cavity, 549
- Spherical chiro lenses, 561
- Spherical microstrip antenna, 705
- Spherical microstrip structure, 852
- Stability, 249
- Stability factor, 98
- Static approximation, 277
- Stationary values, 490
- Step discontinuity, 850
- Stokes wave, 258
- Strain, 689
- Strip grating, 813
- Strip line, 578
- Subcarrier, 205
- Subcarrier multiplexing, 55
- Subcarrier multiplexing (SCM), 401
- Subharmonic, 33
- Subscriber loop system, 55
- Subzone, 840
- Superconductive microwave system, 728
- Superconductive tapped delay line, 728
- Superconductor, 391, 725, 748
- Surface impedance, 109
- Surface modes, 182
- Surface wave, 660
- Symbolic substitution, 498
- Symmetrical coplanar waveguide, 218
- Synchronization, 394, 527, 800
- Synchronous oscillator, 249
- Synthesis, 623
- Synthesized pulse, 287
- Systolic arrays, 634
- TED, 617
- TEM cell, 266
- TEM feed, 95
- Temperature sensor, 423
- Temporal coherence, 151
- Test fixture, 197
- Thermal resistance, 455
- Thick substrate, 387
- Threshold detection, 124
- Time domain, 135, 238
- Time variant, 87
- Total least squares, 569
- Total power radiometer, 677
- Transient response, 820
- Transimpedance amplifier, 65
- Transistor Amplifier, 141
- Transistors, 461
- Transmission coefficient, 363
- Transmission coefficient, anomalous amplification, intensification, 415
- Transmission lines, 319
- Traveling wave amplifier, 261
- Traveling-wave antenna, 694
- Triangular, 555
- Triangular mixed element, 873
- Tuned receiver, 401
- Two-channel wavelength-division multi/demultiplexers, 896
- Two-dimensional field mapping, 27
- Two-layer three-coupled microstrip lines, 432
- Two-pole bandpass filters, 752
- Ultra wideband, 95
- Uniaxial, 701
- Unidirectionally conducting screen, 663
- Variational method, 626
- VCO, 617
- Vertical cavity lasers, 455
- VHF, 652
- Wave diffraction, 782
- Wave propagation, 478, 517, 600, 858
- Wave scattering, 101, 185
- Waveguide bend, 194
- Waveguide cavity, 104
- Waveguide coupling, 829
- Waveguide discontinuities, 230
- Waveguide scattering, 358
- Waveguides, 397
- Wavelet basis, 168
- Weak links, 744
- Wire antennas, 786
- Wire inductances, 823